

Plug Adapters



Plug Adapters (or Adaptors) are used to convert one plug or connector, into another. We stock a wide range of adapters and plug converters, from universal adapters, plug splitters, angled adapters, NEMA to IEC 320 Adapters, IEC 320 to NEMA adapters, and more. Adapters are organized by plug type.



IEC 60320 C14 CONNECTOR (MALE)

The IEC 60320 C14 is a grounded 3 Wire Plug rated up to 250V and 15 Amps. The C14 mates with a C13 outlet, typically found on Data Center/IT specific PDUs (Power Distribution Unit). The IEC 60320 C14 is typically used with either 18awg SVT, 18awg SJT(OW), 16awg SJT(OW) or 14awg SJT(OW). The types of cordages used will change the rating of the overall cord set.



IEC 60320 C20 CONNECTOR (MALE)

The IEC 60320 C20 is a grounded 3 Wire Plug rated up to 250V and 20 Amps. The C20 mates with a C19 outlet, typically found on Data Center/IT specific PDUs (Power Distribution Unit). The most common configuration for a C20 is in a jumper cable scenario, providing power from a PDU to a blade server chassis, high powered server, large network router, or similar device.



NEMA 5-15P

The NEMA 5-15P is a 3 Wire grounded plug featuring two blades (can be equal or unequal widths due to the ground pin forcing polarity) and one ground pin rated up to 125V AC and 15 Amps. The NEMA 5-15P is your standard household plug used for to connect small appliances such as TV's, Microwaves, hairdryers, etc to a wall outlet. The NEMA 5-15P is compatible with a Nema 5-20R T-Slot outlet, which is commonly found in new home installations.



NEMA 5-20P

The NEMA 5-20P is a 3 Wire grounded plug featuring two blades and one ground pin rated up to 125V AC and 20 Amps. The NEMA 5-20P is used in applications that require higher power draw such as large refrigerators, space heaters, large kitchen mixers, etc. The 5-20R T-Slot receptacle allows you to plug in either a 5-20P or a 5-15P plug, allowing greater flexibility. In modern home installations, 5-20R T-Slot receptacles are often used when 20A circuits are installed due to flexibility of being downward compatible with the 5-15P.

NEMA 6-20P



The NEMA 6-20P is a 3 Wire grounded plug featuring two blades and a ground pin, rated up to 250V AC and 20A. The 6-20P has a horizontal and vertical blade to prevent attachment to lower ampere rated receptacles. However, the 6-20R (receptacle) offers a "T" slot allowing connection of both a 6-20P and a 6-15P. Common applications are commercial ovens and large air condition units.

European Schuko CEE7/7 - Straight



The European Schuko CEE7/7 - Straight plug is a 2 pole, grounded plug. The plug has two round pins (line and neutral) each 4.8 mm diameter, 19 mm long and spaced 19 mm apart. The plug also has two flat areas (top and bottom sides) and a female contact for the ground. The CEE7/7 Schuko is a hybrid plug designed to fit into both type C and F Schuko receptacle. Schuko is an acronym of the german word "Schutzkontakt" meaning safety contact which is visible on the top and bottom of the plug end.

UK BS1363 ANGLED



The UK BS1363 ANGLED is a 3 pin Line/Load/Ground plug rated up to 125V and 13A. This plug is protected with a fuse inside of the face of the plug for overload protection.



NEMA 1-15P

The NEMA 1-15P is a 2 Wire 2 Blade ungrounded plug rated at 125V and 15 Amps in North America. The use of NEMA 1-15R (the receptacle matching the 1-15P) is discontinued in new home installations in the U.S (since 1962). NEMA 1-15P are compatible with the NEMA 5-15R outlet. This plug can be "polarized" or "non-polarized", a polarized 1-15P will have unequal blades to prevent harm to devices attached.

IEC 60320 C14 Plug Adapters



IEC 60320 C14 Plug Adapters (Adaptors) allow you to convert an IEC 60320 C13 outlet into a variety of different outlets/connectors including C5, C7, C7P, C13, (2x) C13, C13 Up Angle, C15, C19, NEMA 5-15R, (2x NEMA 5-15R), 5-20R(T- Slot), Schuko CEE7, and UNIVERSAL. Universal adapters are frequently used in cases where the a cable must be used in multiple countries.

SKU	Length	Weight (lbs)	Volume (in3)	View
AD-1405		0.12	10	View
AD-1407		0.12	10	View
AD-1407P		0.12	10	View
AD-1413		0.12	10	View
AD-1413(2)		0.2	15	View
AD-1413U		0.12	10	View
AD-1415		0.12	10	View
AD-1419		0.12	10	View
AD-14515		0.12	10	View
AD-14515(2)		0.2	15	View
AD-14515520		0.1	10	View
AD-14D13		0.12	10	View
AD-14FE		0.2	15	View
AD-14UNIV		0.1	10	View

IEC 60320 C20 Plug Adapters



IEC 60320 C20 Plug Adapters (Adaptors) allow you to convert an IEC 60320 C19 outlet into a variety of different outlets/connectors including C5, C7, C13, (2x) C13, C15, C19, NEMA 5-15R, (2x NEMA 5-15R), and 5-20R(T- Slot).

SKU	Length	Weight (lbs)	Volume (in3)	View
AD-2005		0.2	15	View
AD-2007		0.2	15	View
AD-2013		0.2	15	View
AD-2013(2)		0.2	15	View
AD-2015		0.2	15	View
AD-2019		0.2	15	View
AD-2021		0.1	10	View
AD-20515		0.2	15	View
AD-20520		0.2	15	View

NEMA 5-15P Plug Adapters



NEMA 5-15P Plug Adapters (Adaptors) allow you to convert an NEMA 5-15R outlet into a variety of different outlets/connectors including C13, (2x) C13, (3x) 5-15R, NEMA 5-20R (T-Slot), Schuko CEE7, NEMA L5-15R, NEMA L5-20R, and NEMA L5-30R.

SKU	Length	Weight (lbs)	Volume (in3)	View
AD-51513		0.2	10	View
AD-51513(2)		0.2	10	View
AD-515515(3)		0.25	7	View
AD-515515/520		0.2	10	View
AD-515FE		0.2	10	View
AD-515L515		0.2	10	View
AD-515L520		0.2	10	View
AD-515L530		0.2	10	View
AD-515UNIV		0.2	5	View

NEMA 5-20P Plug Adapters



NEMA 5-20P Plug Adapters (Adaptors) allow you to convert an NEMA 5-20R outlet into a NEMA L5-20R outlet.

SKU	Length	Weight (lbs)	Volume (in3)	View
AD-520L520		0.2	10	View

NEMA 6-20P Plug Adapters



NEMA 6-20P Plug Adapters allow you to convert the NEMA 6-20R outlet into either a NEMA L6-20R or Universal outlet. Universal adapters are often used when you have multiple devices with plugs from various countries, allowing you to plug all of these different devices into a standard NEMA 5-20R outlet.

SKU	Length	Weight (lbs)	Volume (in3)	View
AD-620L620		0.2	10	View
AD-620UNIV		0.2	10	View

European Schuko CEE7/7 Plug Adapters



European Schuko CEE7/7 Plug Adapters allow you to convert European Schuko CEE7 receptable into a either a C13 outlet, NEMA 5-15R outlet, or a Universal Outlet.

SKU	Length	Weight (lbs)	Volume (in3)	View
AD-FC13		0.2	10	View
AD-FC515		0.2	10	View
AD-FCUNIV		0.2	10	View

NEMA 1-15P PLUG ADAPTERS

NEMA 1-15P Plug Adapters (Adaptors) allow you to convert an NEMA 1-15R outlet into a variety of different outlets/connectors including Europlug.



SKU	Length	Weight (lbs)	Volume (in3)	View
AD-115CD		0.1	10	View

United Kingdom BS1363 Plug Adapters



United Kingdom BS1363 Plug Adapters. The BS1363 is a standard British wall outlet rated at 13A 250VAC. These adapters will plug into the BS1363 outlet and convert to a variety of outlets. Places for possible use Anguilla, Bahrain, Botswana, Burma, Cyprus, Dominica, Falkland Islands (Malvinas), Gambia, Ghana, Gibraltar, Hong Kong, Iraq, Ireland, Kenya, Kuwait, Liberia, Malawi, Malaysia, Malta, Mauritius, Nigeria, Northern Ireland, Oman, Qatar, St. Kitts-Nevis, St. Lucia, St. Vincent, Saudi Arabia, Seychelles, Sierra Leone, Singapore, Sudan, Tanzania, Uganda, United Arab Emirates, United Kingdom, Yemen, Zambia, Zimbabwe

SKU	Length	Weight (lbs)	Volume (in3)	View
AD-GA13		0.2	12	View
AD-GAUNIV		0.2	12	View